

WILCOX[®]

BOSS X^e
TM

A Versatile, Precise Solution
for Operators Engaging in
Diverse Combat Scenarios



INTRODUCTION

The BOSS Xe [Ballistically Optimized Sighting System – Enhanced] is the culmination of leading-edge development and advancements in technology driven by operator feedback. The result is a compact, ergonomic, laser aiming-sighting system that is ideal for short barrel weapon platforms with the ability to change from one preset impact point to another on the fly. The BOSS Xe has a unique optical bench that achieves the highest standard of performance while giving the operator tremendous tactical flexibility.

ENHANCED OPERATOR VISIBILITY & BEAM CLARITY

The BOSS Xe provides a full package optical bench (IR aiming laser, IR illuminator, VIS laser, IR Room illuminator, Reflex Sign & Iron Sight). An Above-the-Rail IR Room illuminator improves target visibility and provides proper IR lighting for Close Quarters Battle (CQB) offering non-blooming with a very wide angle. Wilcox has positioned the room illuminator function into the “bottom” of the IR illuminator steps, keeping similar functions together. This allows for easy, fast transition for “far” illumination to “close” illumination giving operators flexibility while illuminating areas and potential targets at different ranges.



An Above-the-Rail infrared room illuminator limits shadowing and reflected light to improve target visibility and provide optimal IR lighting for close-quarters scenarios.

Light quality is always a discriminating factor in operator reaction time. By advancing and pushing the capabilities of VCSEL laser technology, the BOSS Xe provides the operator with a true advantage over other sighting systems. Achieving this high level of beam clarity improves both situational awareness and on-the-move reaction time allowing for optimal target identification and engagement.

PERSONALIZATION [SOUND & LIGHT CONTROL]

The BOSS Xe allows the operator to utilize the integrated trajectory selection switch to be used during supersonic and subsonic ammunition changes for example, while also allowing for two separate point-of-aim, point-of-impact, when being used with different calibers all without the need of re-zeroing. This capability provides the operator ultimate control of their sound signature per mission parameters when using both super and subsonic ammunition. The ability to have two zeros allows the operator to maintain accuracy while shooting, thus making them more lethal [more rounds on target] and able to conserve ammunition [fewer rounds needed to neutralize targets]. The Red Dot reticle selection for preferred target picture, with on-the-fly adjustable brightness, allows operators to set it to their preference including night vision compatible levels and reduce their light emission. The BOSS Xe gives the operator full control to personalize their signature and meet mission requirements.




The BOSS Xe can be used with both supersonic and subsonic ammunition changing the POI without having to re-zero allowing the operator to quickly adapt to different shooting scenarios and maintain accuracy.

EASE TO USE, MULTI-DEVICE CAPABILITY

The BOSS Xe unique windage and elevation adjustments allow operators to easily set zeroes for the entire optical bench with minimal adjustments, reducing the operator's time spent zeroing. The BOSS Xe essentially provides operators with two devices worth of optics on one co-aligned optical bench, freeing up valuable rail space on short barrel weapon platforms.

NETWORKED COMBAT OPERATIONS

Leveraging BTAC, developed with our partner Blueforce Technologies, the BOSS Xe's onboard maintenance counter monitors rounds fired from the weapon and can share data in real-time. [BTAC \(BlueforceTACTICAL\)](#) is an extensible situational awareness mobile application that enables real-time monitoring of teams and fuses sensor data (attached or proximate sensors) to provide real-time location and sensor data sharing. The BOSS Xe's Bluetooth capability allows for future customization to support networked combat operations.



The BOSS Xe's Bluetooth capability allows for future customization to support networked combat operations.

OPERATOR DEFINED FUNCTIONALITY

Wilcox has extended the BOSS Xe's capabilities with the [ERGOTCO Xe Activation Keypad](#). This enhancement removes the need of the operator to memorize device switch positions by allowing user defined mapping of critical functions. The 3 control buttons on the pressure pad are ergonomically designed to allow for accurate button identification. The ambidextrous design allows attachment on either side of the weapon, including positioning in between the quad rails of rifle handguards. The ergonomic design and user defined button mapping functionality allow for identification of each button without looking at the control pad, providing a constant **"heads up, eyes out"** posture. Longer range engagements can be achieved with the [Wilcox 3X Magnifier](#).

CONCLUSION

Military and law enforcement including special forces and SWAT require connectivity, personalization, and varying degrees of visibility to overcome unique challenges in combat environments that require maximum discretion. The BOSS Xe's multi-function attributes are focused on providing operator's flexibility and customization to minimize engagement times, optimal target acquisition and engagement, and overall mission success.



THE WILCOX BOSS Xe
View the Capabilities Video



For additional information, [view the BOSS Xe product page](#).
For general information about Wilcox and our products
[contact us directly](#), or [download our Product Catalog](#).



©2024 Wilcox Industries Corp. All rights reserved. WILCOX® is a Federally Registered Trademark of Wilcox Industries Corp. Specifications subject to change without notice. The Wilcox BOSS-Xe is patent pending. Export of this product is regulated by the U.S. Department of State in accordance with guidelines of "International Traffic Arms Regulation (ITAR) per Title 22, Code of Federal Regulations, Parts 121-128.

25 PISCATAQUA DRIVE | NEWINGTON NH, 03801 | 603.431.1331 | WWW.WILCOXIND.COM



WILCOX[®]

FUSION

PRODUCT BROCHURE

FUSION SYSTEM™



CONCEPT TO CAPABILITY

From Concept to Capability, the Wilcox FUSION SYSTEM provides highly advanced, innovative upgrades to a proven legacy weapon, infusing it with state of the art technology and increasing our warfighters lethality and ability to dominate the enemy. At the leading edge in developing disruptive technology, Wilcox embraces a “Systems Approach to Combat Operations” and is sharply focused on understanding our customer’s concepts and the associated capability development required to enable those concepts.


Our methodology develops and leverages advanced sensors and rapid routing of real time actionable information, all critically focused to reinforce the warfighter’s situational awareness and provide resources to generate effective fires and maneuver, all informed to maintain tempo.

Advanced electro optics and sensors within the FUSION SYSTEM enable rapid target acquisition and facilitate engagement via our Bluetooth networked interface. Operations interaction provides an immediate alert to the Blueforce Tactical (BTAC) Mobile Command Center noting activity in real time with exact location alignment, target parameters, maintenance, triage, facial recognition and overwatch.

These activities work together to develop and operationalize the Sensor to Shooter Concept, enabling true “network centric operations” and providing greater customer awareness, support and lethality at all levels of operation – from the Command level out to the tactical edge.

OPERATIONAL SUSTAINMENT

BY BLUEFORCE DEVELOPMENT



Battlefield, disaster response, and public safety sustainment is both an art and science; it's about synchronizing, integrating, and transporting commodities in a highly "just-in-time" manner to provide maneuver and incident commanders with freedom of action, extended operational reach, and prolonged endurance. As it turns out, the **"science"** of sustainment is not terribly difficult as it is grounded in basic math and computation, based on real-time data from the operational space. A fire team deploys with X amount of ammunition multiplied by the number of soldiers on a fire team, and then an ability to monitor ammunition consumption in real-time. The same calculus can be made for food, water, fuel, medical necessities, and nearly every other class of supply.

The **"art"** of sustainment is about considering how the tactical or incident response environment affects logistics and resupply. The "cog" at the center of the autonomous replenishment machine is data and situational awareness, fed by an array of IoT sensors (body worn and proximate) and stream analytics to anticipate resupply needs. Using a very simple example, a vehicle that takes X amount of petrol may be started early to warm up on a cold day which will require additional fuel sooner. Similarly, on a hot day with soldiers experiencing an accelerated operational tempo will drive faster and more acute need for resupply of water. Core to the discussion of "art", is all channel access to IoT, GIS, and environmental data, but also recognition support "services" in the form of rules and AI.

Wilcox Industries, has partnered with Blueforce Development Corporation and Thunderbolt Solutions to develop a packaged capability for operational sustainment based on deployed fire teams using the [Wilcox FUSION System](#). These products house an integrated maintenance counter which monitors the number of rounds fired as well as barrel temperature and other rail sensors and moves weapon data using [BlueforceTACTICAL](#) (BTAC) where the data is shared amongst the fire team and their commander but is also shared with the Wilcox Armorers Module in an armory. FUSION System data is also monitored in real-time by Blueforce's new Autonomous Orchestration Plugin for BlueforceEDGE, which monitors a wide array of soldier systems to include the Wilcox FUSION

System, physiological wearables, CBRN, laser rangefinders/targeting, and others for single-variant and multi-variant threats. The Plugin contains sets of business rules that can detect active engagement and shot counts, but also looks across an entire deployed fire team versus a single operator. On certain thresholds, the Plugin can launch autonomous drones, track vehicles, or other for resupply and/or over-watch.


IN PARTNERSHIP WITH:

blueforce DEVELOPMENT

THUNDERBOLT

BTAC**NETWORKED ENABLED CAPABILITY****SENSOR TO SHOOTER ADVANTAGE**

- Providing actionable, task relevant information to and from networked teammates.
- Shot counter: Monitors shot count which are shared in real time with other users and the Armorer's Module for BlueforceCOMMAND.
- Temperature monitoring: Monitors weapon temperature and can forward based on high and low thresholds.
- Health/power: Monitors and reports maintenance flags or issues as part of the movement of shots, temperature, and location.
- Sensor Fusion: FUSION plugin runs alongside of other BTAC plugins to include Wilcox RAPSTAR S, Wilcox HYBRID PATRIOT 5510, physiological, CBRN, subterranean trackers, signint, streaming body worn video, and other commercially available plugins.
- Offline queue: BTAC will hold presence packets when connectivity is denied. When BTAC sees an approved network, it forwards packets cached during offline operations.
- Network friendly selective synchronization: Plugin may be configured to send ALL shot records, OR, only send those where shot count and/or temperature changes.



SEE BTAC IN ACTION

FUSION SYSTEM™

POWER MANAGEMENT, MAINTENANCE & INTEGRATED FIRE CONTROL SYSTEM™

**OVERVIEW**

The Wilcox FUSION SYSTEM™ is a lightweight fully integrated fire control system that manages the power and maintenance of the rifle it is mounted to. A uniquely designed dual battery system features a primary and reserve battery compartment. The FUSION SYSTEM is a class 3B high power laser aiming device that features a fully integrated environmentally stable optical bench. An on-board sensor monitors the total count of rounds fired from the rifle like an odometer in a vehicle. This data connected through the depot's [BTAC Armorer's application](#) assures the users rifle is always maintained and ready for service. The FUSION SYSTEM differentiates itself from any other fire control system on the market by allowing an operator to fire different ammunition types from the same weapon by simply flipping a trajectory switch. Wilcox has set the standards for optical performance in beam clarity and uniformity aiding in increasing the warfighter's lethality and situational awareness.

Truly innovative, the FUSION SYSTEM has BTAC on board, further enabling a "smart weapon" design. The warfighter is able to connect the weapon via BTAC plugin to the network, providing awareness of the weapon's operational health while in the field as well as an armorer's interface for key predictive maintenance parameters associated with long term care. Learn more about [Operational Sustainment](#).

www.wilcoxind.com/FUSION


FUSION KMA556



FUSION ARX160



FUSION G62

Available Colors*: -CAMI -W -C -B

PRODUCT DESCRIPTION	PART NUMBER
FUSION KMA556	65900608
FUSION ARX160	65900610
FUSION G62	65900611
3X MAGNIFIER (SOLD SEPARATELY)	61100616
STUBBY FUSION GRIP FOR KMA556 & G62 (SOLD SEPARATELY)	46208601

*Color options differ by weapon systems. (see datasheets for more information)

IN PARTNERSHIP WITH:



FEATURES & BENEFITS

1. FUSION Reflex Sighting System

2. Red VIS Laser

3. NIR Fixed Illuminator

4. NIR Laser

5. Ballistic Trajectory Switch

6. Elevation/Windage Adjustment (Windage not visible)

7. Reflex/Laser/Illuminator Brightness Control

8. Built-in Back Up Iron Sights
9. OLED Display with Shot Counter

10. FUSION Mode Selector Switch

11. SureFire® White/NIR Dual Spectrum Light


12. Remote Light/Laser Activation Switch

13. Protective Grip Inserts for Heat Mitigation

14. Battery Management Power Supply System

15. 3X Magnifier and Flipmount (sold separately)

16. Stubby FUSION Grip (sold separately)





WILCOX ARMORER'S MODULE FOR BLUEFORCECOMMAND

FULL ACCOUNTABILITY & MAINTENANCE MANAGEMENT

OVERVIEW

The Armorers Module is a managed database that stores weapon system serial numbers and allows the collection and management of maintenance performed based on usage. Specific data, (shots fired, time and date stamps, temperatures), is downloaded via Bluetooth from the FUSION weapon system to the database. This data can be used by the armorer to determine necessary maintenance including part replacement. The database can be queried for information including part usage, trends and inventory requirements. Other features include a list of part numbers and associated description including a thumbnail picture of the part. A picture of the replaced/worn/defective part can be attached to the associated system serial number for future reference. [Learn more about BTAC's unique capabilities.](#)



FEATURES & BENEFITS

- Automatically accepts and processes shot record data from Wilcox FUSION Rail plugin for BlueforceTACTICAL Android.
- Access controls using the following roles: admin, assembly, and armorer user.
- Navigation and data entry support for bar code, QR code, and RFID readers.
- Rapid callup of weapons using hand entered and/or QR/RFID reader queries.
- Batch processing of RFID tracking data to identify last known location and weapon assignment.
- Robust maintenance management to include awareness of firearms that require maintenance and support for image attachments in maintenance records.
- Full logging of new firearm entry, firearm record updates, serial number changes, and firearm retirement.



DRONE

POTENTIAL THREAT

BTAC[®]



PREDICTIVE MAINTENANCE

Wilcox weapons system data can be shared in real time with Wilcox Armorer's Module, a plugable module for BlueforceCOMMAND, and the authoritative application for service and predictive maintenance.

AUTONOMOUS REPLENISHMENT

Because BTAC and the Wilcox Plugin for BTAC are constantly monitoring weapons systems across a team, autonomous delivery platforms can be cued for just-in time field replenishment.

FORCE READINESS

The Wilcox Armorer's Module not only drives supply chain value, but can also provide awareness of force readiness and can display weapon location and status.

TACTICAL AWARENESS

Real-time shared awareness of oxygen and PPE operating modes, environmental data, maintenance counters, barrel temperature, and maintenance status of Wilcox devices shared in real-time amongst the team and command.


BTAC COMMAND CENTER

FUSION SYSTEM



GLOBAL MASTER DISTRIBUTION NETWORK

Wilcox has an extensive list of Dealers and Master Distributors around the world. Visit wilcoxind.com/contact to view our entire Master Distributors list segmented by region.



WILCOX INDUSTRIES CORP. ONE WILCOX WAY NEWINGTON, NH 03801 USA

PHONE: 603.431.1331 FAX: 603.431.1221

WWW.WILCOXIND.COM



©2024 Wilcox Industries Corp. All rights reserved. Printed in USA. U.S. and foreign patents pending. The WILCOX logo, and "X" icon are Federally Registered Trademarks of Wilcox Industries Corp. BTAC is a registered trademark of Blueforce Development Corp. Wilcox FUSION SYSTEM, Xe, "Modular By Design" and "Our Customer's Life Depends on It" are all trademarks of Wilcox Industries Corp. All other Trademarks and Registered Trademarks are properties of their respective companies. This brochure does not constitute an offer or commitment to sell. Specifications and other data are subject to change without notice. | Technical Data regulated and restricted by the EAR, U.S. Department of Commerce license may be required for export or re-export. | Export of certain products are regulated by the U.S. Department of State and U.S. Department of Commerce in accordance with guidelines of ITAR per Title 22, Code of Federal Regulations, Parts 121-128. | U.S. Food and Drug Administration restricts the sale of high powered lasers to military and law enforcement agencies only.


WILCOX[®]



XE PRODUCT BROCHURE

OPERATIONAL SUSTAINMENT

BY BLUEFORCE DEVELOPMENT



Battlefield, disaster response, and public safety sustainment is both an art and science; it's about synchronizing, integrating, and transporting commodities in a highly "just-in-time" manner to provide maneuver and incident commanders with freedom of action, extended operational reach, and prolonged endurance. As it turns out, the "science" of sustainment is not terribly difficult as it is grounded in basic math and computation, based on real-time data from the operational space. A fire team deploys with X amount of ammunition multiplied by the number of soldiers on a fire team, and then an ability to monitor ammunition consumption in real-time. The same calculus can be made for food, water, fuel, medical necessities, and nearly every other class of supply.

The "art" of sustainment is about considering how the tactical or incident response environment affects logistics and resupply. The "cog" at the center of the autonomous replenishment machine is data and situational awareness, fed by an array of IoT sensors (body worn and proximate) and stream analytics to anticipate resupply needs. Using a very simple example, a vehicle that takes X amount of petrol may be started early to warm up on a cold day which will require additional fuel sooner. Similarly, on a hot day with soldiers experiencing an accelerated operational tempo will drive faster and more acute need for resupply of water. Core to the discussion of "art", is all channel access to IoT, GIS, and environmental data, but also recognitional support "services" in the form of rules and AI.

Wilcox Industries, has partnered with Blueforce Development Corporation and Thunderbolt Solutions to develop a packaged capability for operational sustainment based on deployed fire teams using certain [Wilcox Xe Products](#) and the [Wilcox FUSION System](#). These products house an integrated maintenance counter which monitors the number of rounds fired as well as barrel temperature and other rail sensors and moves weapon data using [BlueforceTACTICAL](#) (BTAC) where the data is shared amongst the fire team and their commander but is also shared with the Wilcox Armorers Module in an armory. Data is also monitored in real-time by Blueforce's new Autonomous Orchestration Plugin for [BlueforceEDGE](#), which monitors a wide array of soldier systems to include the Wilcox FUSION System, Wilcox Xe Products, physiological wearables,

CBRN, laser rangefinders/targeting, and others for single-variant and multi-variant threats. The Plugin contains sets of business rules that can detect active engagement and shot counts, but also looks across an entire deployed fire team versus a single operator. On certain thresholds, the Plugin can launch autonomous drones, track vehicles, or other for resupply and/or over-watch.

IN PARTNERSHIP WITH:
blueforce DEVELOPMENT **THUNDERBOLT**



SEE BTAC IN ACTION



BTAC
NETWORKED
ENABLED CAPABILITY

SENSOR TO SHOOTER ADVANTAGE

- Providing actionable, task relevant information to and from networked teammates.
- Shot counter: Monitors shot count which is shared in real time with other users and the Armorer's Module for BlueforceCOMMAND.
- Temperature monitoring: Monitors weapon temperature and can forward based on high and low thresholds.
- Health/power: Monitors and reports maintenance flags or issues as part of the movement of shots, temperature, and location.
- Orthogonal sensor cueing allows the Wilcox BOSS Xe Plugin for BTAC to communicate with other BTAC plugins allowing image capture enabled sights to pass images to BTAC Cognitive Services Plugin for identification and real-time sharing.
- Offline queue: BTAC will hold presence packets when connectivity is denied. When BTAC sees an approved network, it forwards packets cached during offline operations.
- Network friendly Selective synchronization: Plugin may be configured to send ALL shot records, OR, only send those where shot count and/or temperature changes.

[Learn more about BTAC's unique capabilities.](#)

BOSS Xe
TM

BALLISTICALLY OPTIMIZED SIGHTING
SYSTEM - ENHANCED - HIGH POWER



OVERVIEW

The BOSS Xe™ [Ballistically Optimized Sighting System – Enhanced] is a class 3B high power compact, ergonomic, laser aiming sighting system that is ideal for short barrel weapon platforms such as the SIG Rattler. The BOSS Xe has a unique optical bench that achieves the highest standard of performance while giving the operator tremendous flexibility.

Military and law enforcement including special forces and SWAT require connectivity, personalization, and varying degrees of visibility to overcome unique challenges in combat environments that require maximum discretion. The BOSS Xe's multi-function attributes are focused on providing operator's flexibility and customization to minimize engagement times, optimal target acquisition and engagement, and overall mission success. The BOSS Xe LP (Low Power) is also available


www.wilcoxind.com/BOSS-Xe

Available Colors: -B


PRODUCT DESCRIPTION	PART NUMBER
BOSS Xe - HIGH POWER RED LASER	64000G23
BOSS Xe - HIGH POWER GREEN LASER	64000G24
BOSS Xe - LOW POWER RED LASER	64000G22

IN PARTNERSHIP WITH:

blueforce
DEVELOPMENT



OFF CANT INDICATOR



FEATURES & BENEFITS

1. Reflex Sight
2. NIR Laser
3. NIR room Illuminator
4. NIR fixed Illuminator
5. Red/Green VIS Laser
6. Remote Control Activation Pad Port
7. Built-in Back Up Iron Sights
8. Battery Compartment
9. Reflex/Laser/Illuminator Brightness Control
10. Mode Selector Switch
11. Trajectory Switch
12. Shock Nuts Picatinny Mount
13. Elevation Adjustment for Zero Presets 1 & 2
14. Windage Adjustment (not visible)



WATCH THE
RAID Xe DEEP DIVE

RAID Xe

RUGGEDIZED AIMING/ILLUMINATION
DEVICE - ENHANCED - HIGH POWER



OVERVIEW


The RAID Xe™ (Enhanced Ruggedized Aiming/Illumination Device) is the culmination of years of operator feedback and leading-edge technical advancements. The result is a compact, ergonomic aiming and illumination device with a uniquely rich feature set that achieves the highest standard of optical performance.

Military and law enforcement including special forces, SWAT and security personnel, face an array of unique challenges in low or no light environments where quick target acquisition and identification are required. As a class 3B high power laser aiming device, The Wilcox RAID Xe represents a complete, robust solution for any operator requiring a high degree of awareness, flexibility and accuracy to ensure mission success. The RAID Xe LP (Low Power) is also available.

www.wilcoxind.com/RAID-Xe

Available Colors: -C -B

PRODUCT DESCRIPTION	PART NUMBER
RAID Xe - HIGH POWER RED LASER	65300G14
RAID Xe - HIGH POWER GREEN LASER	65300G18
RAID Xe - LOW POWER RED LASER	65300G12



FEATURES & BENEFITS

1. Red/Green VIS Laser
2. NIR Laser
3. NIR Variable Illuminator
4. NIR fixed Room Illuminator
5. MIL-STD-1913/NATO STANAG Interface
6. NIR Illuminator Divergence Knob
7. High Power Lockout Screw Storage
8. Remote/Pressure Pad Port
9. OLED Display
10. Battery Compartment
11. Laser Safety Cover
12. Laser/Illuminator Output Adjustment
13. Windage (not visible)/Elevation Adjustment
14. Display Light Sensor/Programming Port
15. Mode Selector Switch
16. FIRE Activation Button
17. High Power Lockout Screw



BTAC NETWORKED ENABLED CAPABILITY

SENSOR TO SHOOTER ADVANTAGE

- Providing actionable, task relevant information to and from networked teammates.
- Decentralized fusion and sharing of data from diverse sensors, processed with advanced third party AI
- Share target data on a need to know basis over tactical networks to other elements involved in an operation.
- Orthogonal sensor cueing allows the Wilcox RAPTAR Xe Plugin for BTAC to communicate with other BTAC plugins allowing image capture enabled sights to pass images to BTAC Cognitive Services Plugin for identification and real-time sharing.
- HyperLocal alerting capabilities can inform operators of relevant tactical information based on their location, competencies, and available resources.
- Connects shooters to sensors and artificial intelligence to assist operators in complex targeting scenarios that span acquisition and surveillance, identification, engagement, and handoff.

[Learn more about BTAC's unique capabilities.](#)

RAPTAR X^e

RAPID TARGETING & RANGING MODULE



OVERVIEW

The Wilcox RAPTAR Xe™ is the next generation in the RAPTAR line of products. As a class 3B high power laser aiming device, the RAPTAR Xe is designed specifically for the military and law enforcement markets. The RAPTAR Xe provides snipers and advanced tactical shooters increased accuracy and precise engagement of targets at extremely long ranges. Compared to it's predecessor, the RAPTAR Xe is a smaller, lighter, and stronger laser aiming device which significantly increases first-round hit capability. The built-in networking capabilities and user interface give the


RAPTAR Xe superior maintenance and replenishment connectivity with key auxiliary devices. These leading-edge features increase the operator's lethality and situational awareness.

www.wilcoxind.com/RAPTAR-Xe

Available Colors: -C

PRODUCT DESCRIPTION	PART NUMBER
RAPTAR Xe - HIGH POWER RED LASER	68500G01

IN PARTNERSHIP WITH:



FEATURES & BENEFITS

1. NIR Variable Illuminator
2. Red VIS laser
3. Infrared Laser
4. LRF/Laser Port
5. Range Receive Port
6. MIL-STD-1913 Interface
7. Laser Safety Hood
8. Remote Control Activation Pad Port
9. OLED Display
10. Battery Compartment
11. IR Flood Focus Wheel
12. Mode Selection Knob
13. High Power Lockout Screw
14. Fire/Input Buttons
15. Elevation Adjustment
16. Windage Adjustment



BTAC NETWORKED ENABLED CAPABILITY

SENSOR TO SHOOTER ADVANTAGE

- Providing actionable, task relevant information to and from networked teammates.
- Shot counter: Monitors shot count which is shared in real time with other users and the Armorer's Module for BlueforceCOMMAND.
- Temperature monitoring: Monitors weapon temperature and can forward based on high and low thresholds.
- Health/power: Monitors and reports maintenance flags or issues as part of the movement of shots, temperature and location.
- Orthogonal sensor cueing allows the Wilcox MRF Xe Plugin for BTAC to communicate with other BTAC plugins allowing image capture enabled sights to pass images to BTAC Cognitive Services Plugin for identification and real-time sharing.
- Network friendly Selective Synchronization: Plugin may be configured to send ALL shot records, OR, only send those where shot count and/or temperature changes.

[Learn more about BTAC's unique capabilities.](#)



MICRO RANGE FINDER - ENHANCED LOW POWER



OVERVIEW

The Wilcox MRF Xe™ is the next generation in the MRF line of products. As a class 3R low power laser aiming device, the MRF Xe is designed specifically for the military and law enforcement markets. The MRF Xe is a smaller, lighter, stronger laser ranging device with uncompromising performance superior to its predecessor. The built-in networking capabilities and user interface give the MRF Xe superior maintenance and replenishment connectivity with key auxiliary devices. These leading-edge features increase the warfighter's lethality and situational awareness.


Weapon and bullet information can be entered into the MRF Xe through any paired mobile device and with the application of proprietary third party software. Once the data is entered, the MRF Xe captures both the environmental conditions transmitted from the sensor suite and the distance to the target transmitted by the precision laser range finder to the onboard computer instantly providing a ballistic solution to the user.

www.wilcoxind.com/MRF-Xe

Available Colors: -C

PRODUCT DESCRIPTION	PART NUMBER
MRF Xe - LOW POWER RED LASER	42800G10

IN PARTNERSHIP WITH:



FEATURES & BENEFITS

1. VIS Laser Pointer
2. LRF Transmitter
3. LRF Receiver
4. Laser Safety Visor
5. MIL-STD-1913 Interface
6. Remote Control Activation Pad Port
7. OLED Display/Ballistic Solver
8. Battery Compartment
9. Elevation Adjustment/Windage (not visible)
10. High Power Lockout Screw
11. Mode Selector Switch
12. Fire/Input Buttons





ERGOCTO[®]

CONTROL ACTIVATION GRIP

OVERVIEW

The Wilcox ERGOCTO™ Xe™ Control Activation Grip is the next generation accessory that is ergonomically positioned for the user to control Wilcox's new line of "Xe" laser and fire control devices. The ERGOCTO Xe Control Activation Grip mounts directly to the 6 o'clock rail position of the weapon with a unique grip design which allows for up to eight radial positions of the control button by the user. This feature provides an integrated control button that has an over molded skin featuring a tactile surface that helps prevent slippage of the weapon grip when controlling the device.

www.wilcoxind.com/ERGOCTO-XE-GRIP-SINGLE
www.wilcoxind.com/ERGOCTO-XE-GRIP-DUAL

Available Colors:  -C  -B	
DESCRIPTION	PART NUMBER
ERGOCTO Xe SINGLE CONTROL ACTIVATION GRIP – 7" CABLE	68401G11
ERGOCTO Xe DUAL CONTROL ACTIVATION GRIP – 7" CABLE	68401G12


ERGOCTO[®]

ACTIVATION KEYPAD

OVERVIEW


The Wilcox ERGOCTO™ Xe™ Activation Keypad is the next generation accessory that is ergonomically positioned for the user to control Wilcox's new line of "Xe" lasers and fire control devices. The ERGOCTO Xe Activation Key Pad is mounted directly to any MIL-STD-1913 rail and can be positioned in-between the quadrant rails of most rifle handguards thereby preventing loss of the weapon grip when activating a device. The attachment mechanism of the ERGOCTO Xe Activation Key Pad features a very low-profile stance on the rail which does not interfere with the user's natural positioning of the pressure pad when handling a weapon. The ERGOCTO Xe Activation Key Pad is available in two configurations: single cable configuration that connects securely to Wilcox laser products (included with our Xe line of products) or a dual connector cable configuration that connects to the Wilcox Laser products and the other connects to any Surefire flashlight product that has the tail-cap interface.

www.wilcoxind.com/ERGOCTO-XE-PAD-SINGLE
www.wilcoxind.com/ERGOCTO-XE-PAD-DUAL

Available Colors:  -B	
DESCRIPTION	PART NUMBER
ERGOCTO Xe SINGLE 3 BUTTON ACTIVATION KEYPAD – 12" CABLE	68401G01
ERGOCTO Xe DUAL 3 BUTTON ACTIVATION KEYPAD – 12" CABLE	68401G03



Product Illustration  -C  -B



DRONE

POTENTIAL THREAT

BTAC[®]



PREDICTIVE MAINTENANCE

Wilcox weapons system data can be shared in real time with Wilcox Armorer's Module, a plugable module for BlueforceCOMMAND, and the authoritative application for service and predictive maintenance.

AUTONOMOUS REPLENISHMENT

Because BTAC and the Wilcox Plugin for BTAC are constantly monitoring weapons systems across a team, autonomous delivery platforms can be cued for just-in time field replenishment.

FORCE READINESS

The Wilcox Armorer's Module not only drives supply chain value, but can also provide awareness of force readiness and can display weapon location and status.

TACTICAL AWARENESS

Real-time shared awareness of oxygen and PPE operating modes, environmental data, maintenance counters, barrel temperature, and maintenance status of Wilcox devices shared in real-time amongst the team and command.

BTAC COMMAND CENTER

FUSION SYSTEM


FUSION SYSTEM[™]

Xe LINE[™]



GLOBAL MASTER DISTRIBUTION NETWORK

Wilcox has an extensive list of Dealers and Master Distributors around the world. Visit wilcoxind.com/contact to view our entire Master Distributors list segmented by region.



WILCOX INDUSTRIES CORP. ONE WILCOX WAY NEWINGTON, NH 03801 USA

PHONE: 603.431.1331 FAX: 603.431.1221

WWW.WILCOXIND.COM



©2024 Wilcox Industries Corp. All rights reserved. Printed in USA. U.S. and foreign patents pending. The WILCOX logo, "X" icon and ERGOCTO are Federally Registered Trademarks of Wilcox Industries Corp. BTAC is a registered trademark of Blueforce Development Corp. Wilcox FUSION SYSTEM, RAID Xe, BOSS Xe, BOSS Mx, MRX Xe, RAPSTAR Xe, Xe, "Modular By Design" and "Our Customer's Life Depends On It" are all trademarks of Wilcox Industries Corp. All other Trademarks and Registered Trademarks are properties of their respective companies. This brochure does not constitute an offer or commitment to sell. Specifications and other data are subject to change without notice. | Technical Data regulated and restricted by the EAR, U.S. Department of Commerce license may be required for export or re-export. | Export of certain products are regulated by the U.S. Department of State and U.S. Department of Commerce in accordance with guidelines of ITAR per Title 22, Code of Federal Regulations, Parts 121-128. | U.S. Food and Drug Administration restricts the sale of high powered lasers to military and law enforcement agencies only.