

PROTECTION GROUP DENMARK

# PRODUCT CATALOG

2026

[www.protectiongroupdenmark.com](http://www.protectiongroupdenmark.com)  
[www.protectiongroupdenmark.us](http://www.protectiongroupdenmark.us)

 **PGD**  
Protection Group  
Denmark



# TABLE OF CONTENTS

Ballistic helmets 3-7

Helmet accessories 8-11

Soft armor 12-15

Textile solutions

Hard armor

16-23

24-32

# PGD BALLISTIC HELMETS

## COMPARISON CHART

|                          | <br>ARCH             | <br>MICH             | <br>MICH2000        | <br>PASGT          |
|--------------------------|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Level of protection      | NIJ IIIA                                                                                              | NIJ IIIA                                                                                              | NIJ IIIA                                                                                              | NIJ IIIA                                                                                              |
| Special threats*         | NIJ 0106.01 - 9×18 mm MAK<br>6.0 g @ 335±10 m/s<br>NIJ 0106.01 - 7.62×25 mm FMJ<br>5.5 g @ 520±10 m/s | NIJ 0106.01 - 9×18 mm MAK<br>6.0 g @ 335±10 m/s<br>NIJ 0106.01 - 7.62×25 mm FMJ<br>5.5 g @ 520±10 m/s | NIJ 0106.01 - 9×18 mm MAK<br>6.0 g @ 335±10 m/s<br>NIJ 0106.01 - 7.62×25 mm FMJ<br>5.5 g @ 520±10 m/s | NIJ 0106.01 - 9×18 mm MAK<br>6.0 g @ 335±10 m/s<br>NIJ 0106.01 - 7.62×25 mm FMJ<br>5.5 g @ 520±10 m/s |
| V50 / STANAG 2920        | 660 m/s                                                                                               | 660 m/s                                                                                               | 660 m/s                                                                                               | 660 m/s                                                                                               |
| Compression testing*     | AR/PD 10-02                                                                                           | AR/PD 10-02                                                                                           | AR/PD 10-02                                                                                           | AR/PD 10-02                                                                                           |
| Blunt impact protection* | Ambient AR/PD 10-02 Rev. A<br>(avg 65,93 G)                                                           | Ambient AR/PD 10-02 Rev. A<br>(avg 65,93 G)                                                           | Ambient AR/PD 10-02 Rev. A<br>(avg 65,93 G)                                                           | Ambient AR/PD 10-02 Rev. A<br>(avg 65,93 G)                                                           |
| Weight: Size L           | 1.35 kg                                                                                               | 1.57 kg                                                                                               | 1.42 kg                                                                                               | 1.42 kg                                                                                               |
| Cut                      | High cut                                                                                              | Low cut                                                                                               | Low cut                                                                                               | Low cut                                                                                               |
| Retention system         | PGD DIAL                                                                                              | PGD DIAL                                                                                              | PGD DIAL                                                                                              | PGD DIAL                                                                                              |
| Padding system           | PGD 10 pad                                                                                            | PGD 10 pad                                                                                            | PGD 10 pad                                                                                            | PGD 10 pad                                                                                            |
| Rails / front shroud     | ✓                                                                                                     | ✓                                                                                                     | —                                                                                                     | —                                                                                                     |
| Material                 | Kevlar aramid                                                                                         | Kevlar aramid                                                                                         | Kevlar aramid                                                                                         | Kevlar aramid                                                                                         |

PGD ballistic helmets are engineered to meet the highest industry standards. They are designed to withstand some of the most advanced handgun threats in the world. Our ballistic helmets use high-performance aramid fiber from Kevlar, which is made by the leading European ballistic fiber manufacturer Dupont. Our helmets offer greater protection than the standard NIJ standard 0106.01 with an extremely low back face deformation.

\*All four PGD helmet shells share the same material composition; ballistic testing is conducted exclusively on the ARCH model.



# PGD ARCH HELMET

## HIGH CUT BALLISTIC HELMET

### KEY FEATURES



**LOW WEIGHT +  
OUTSTANDING  
BALLISTICS**



**DROP  
RESISTANT**



**MADE IN  
EUROPE**



**EXTREMELY  
DURABLE**



**TEMPERATURE  
RESISTANT**



**LIQUID AND OIL  
RESISTANT**



### SPECIFICATIONS

A popular choice among professional military and police units worldwide. Made in high-performance Kevlar aramid fiber from Dupont.

Adaptable to various needs with our NVG shroud and side accessory rails compatible with adapters from 3m Peltor, Sordin, Ops-core AMP arms, Eararmor and Unity Tactical MARK 2.0.

Adjust for a snug and comfortable fit with our PGD 10-pad memory foam helmet liner and the PGD dial retention system with rotary knob.

10-year ballistic warranty on the helmet shell and 2-year warranty on the PGD dial system, foam, shroud and rails.

### BALLISTIC TESTING

- NIJ 0106.01 standard with IIIA 0101.06 threats: .44 magnum and .357 SIG.
- NIJ 0106.01 standard with IIIA 0108.06 threats: .44 magnum and 9 mm FMJ.
- V50 STANAG 2920: 660 m/s
- 50% reduction in Back Face Deformation (BFD) against 9 mm (HPW-TP-0401.01B IIIA)



### WHAT'S INCLUDED

Ballistic Helmet  
PGD Dial Retention System  
PGD 10-Pad Helmet Liner  
Side Accessory Rails  
Front Shroud  
Velcro Patches

### AVAILABLE COLORS

-  Black
-  OD Green
-  Coyote Brown
-  Multicam

### AVAILABLE SIZES

M (52-55 cm) 1.30 kg / 2.87 lbs  
L (56-59 cm) 1.35 kg / 2.98 lbs  
XL (60-64 cm) 1.40 kg / 3.09 lbs  
Weight tolerance: +/- 0.05 kg.

### AVAILABLE ACCESSORIES

Helmet cover (Multicam, Multicam Black, Black, Ranger Green, M05)  
Unity Summit™ Shroud  
PGD ballistic NIJ IIIA visor



# PGD MICH HELMET

## LOW CUT BALLISTIC HELMET

### KEY FEATURES



LOW WEIGHT +  
OUTSTANDING  
BALLISTICS



EXTREMELY  
DURABLE



DROP  
RESISTANT



TEMPERATURE  
RESISTANT



MADE IN  
EUROPE



LIQUID AND OIL  
RESISTANT



### SPECIFICATIONS

A popular choice among professional military and police units worldwide. Made in high-performance Kevlar aramid fiber from Dupont.

Adaptable to various needs with our NVG shroud and side accessory rails compatible with adapters from 3m Peltor, Sordin, Ops-core AMP arms, Earmor and Unity Tactical MARK 2.0.

Adjust for a snug and comfortable fit with our PGD 10-pad memory foam helmet liner and the PGD dial retention system with rotary knob.

10-year ballistic warranty on the helmet shell and 2-year warranty on the PGD dial system, foam, shroud and rails.

### BALLISTIC TESTING

- NIJ 0106.01 standard with IIIA 0101.06 threats: .44 magnum and .357 SIG.
- NIJ 0106.01 standard with IIIA 0108.06 threats: .44 magnum and 9 mm FMJ.
- V50 STANAG 2920: 660 m/s
- 50% reduction in Back Face Deformation (BFD) against 9 mm (HPW-TP-0401.01B IIIA)



### WHAT'S INCLUDED

Ballistic Helmet  
PGD Dial Retention System  
PGD 10-Pad Helmet Liner  
Side Accessory Rails  
Front Shroud  
Velcro Patches

### AVAILABLE COLORS

- Black
- OD Green
- Coyote Brown

### AVAILABLE SIZES

M (52-55 cm) 1.50 kg / 3.30 lbs  
L (56-59 cm) 1.57 kg / 3.46 lbs  
XL (60-64 cm) 1.61 kg / 3.54 lbs  
Weight tolerance: +/- 0.05 kg.

### AVAILABLE ACCESSORIES

Helmet cover (Multicam, Multicam Black, Black, Ranger Green, M05)  
Unity Summit™ Shroud  
PGD ballistic NIJ IIIA visor



# PGD MICH2000 HELMET

## LOW CUT BALLISTIC HELMET (NO RAILS OR FRONT SHROUD)

### KEY FEATURES



LOW WEIGHT +  
OUTSTANDING  
BALLISTICS



EXTREMELY  
DURABLE



DROP  
RESISTANT



TEMPERATURE  
RESISTANT



MADE IN  
EUROPE



LIQUID AND OIL  
RESISTANT



### SPECIFICATIONS

A popular choice among users with no need for mounting accessories.  
Made in high-performance Kevlar aramid fiber from Dupont.

Adjust for a snug and comfortable fit with our PGD 10-pad memory foam helmet liner and the PGD dial retention system with rotary knob.

10-year ballistic warranty on the helmet shell and 2-year warranty on the PGD dial system and foam.

### BALLISTIC TESTING

- NIJ 0106.01 standard with IIIA 0101.06 threats: .44 magnum and .357 SIG.
- NIJ 0106.01 standard with IIIA 0108.06 threats: .44 magnum and 9 mm FMJ.
- V50 STANAG 2920: 660 m/s
- 50% reduction in Back Face Deformation (BFD) against 9 mm (HPW-TP-0401.01B IIIA)



### WHAT'S INCLUDED

Ballistic Helmet  
PGD Dial Retention System  
PGD 10-Pad Helmet Liner  
Velcro Patches

### AVAILABLE COLORS

-  Black
-  OD Green
-  Coyote Brown

### AVAILABLE SIZES

M (52-55 cm) 1.36 kg / 3 lbs  
L (56-59 cm) 1.42 kg / 3.13 lbs  
XL (60-64 cm) 1.46 kg / 3.22 lbs  
Weight tolerance: +/- 0.05 kg.

### AVAILABLE ACCESSORIES

Helmet cover (Multicam,  
Multicam Black, Black, Ranger  
Green, M05)



# PGD PASGT HELMET

## LOW CUT BALLISTIC HELMET (NO RAILS OR FRONT SHROUD)

### KEY FEATURES



**LOW WEIGHT +  
OUTSTANDING  
BALLISTICS**



**DROP  
RESISTANT**



**MADE IN  
EUROPE**



**EXTREMELY  
DURABLE**



**TEMPERATURE  
RESISTANT**



**LIQUID AND OIL  
RESISTANT**



### SPECIFICATIONS

A popular choice among users with no need for mounting accessories.  
Made in high-performance Kevlar aramid fiber from Dupont.

Adjust for a snug and comfortable fit with our PGD 10-pad memory foam helmet liner and the PGD dial retention system with rotary knob.

10-year ballistic warranty on the helmet shell and 2-year warranty on the PGD dial system and foam.

### BALLISTIC TESTING

- NIJ 0106.01 standard with IIIA 0101.06 threats: .44 magnum and .357 SIG.
- NIJ 0106.01 standard with IIIA 0108.06 threats: .44 magnum and 9 mm FMJ.
- V50 STANAG 2920: 660 m/s
- 50% reduction in Back Face Deformation (BFD) against 9 mm (HPW-TP-0401.01B IIIA)



### WHAT'S INCLUDED

Ballistic Helmet  
PGD Dial Retention System  
PGD 10-Pad Helmet Liner  
Velcro Patches

### AVAILABLE COLORS

-  Black
-  OD Green

### AVAILABLE SIZES

M (52-55 cm) 1.36 kg / 3 lbs  
L (56-59 cm) 1.42 kg / 3.13 lbs  
XL (60-64 cm) 1.46 kg / 3.22 lbs  
Weight tolerance: +/- 0.05 kg.

### AVAILABLE ACCESSORIES

Helmet cover (Multicam, Multicam Black, Black, Ranger Green, M05)



# PGD BALLISTIC VISOR

## BALLISTIC NIJ IIIA VISOR

### KEY FEATURES



OUTSTANDING  
BALLISTICS



EXTREMELY  
DURABLE



DROP  
RESISTANT



ANTI-SCRATCH



MADE IN  
EUROPE



ANTI-FOG



### SPECIFICATIONS

Our PGD ballistic NIJ 3A visor is a critical piece of personal protective equipment designed to provide maximum protection and comfort.

It is tested to the NIJ 3a standard and can withstand handguns and fragments.

The visor fits both our ARCH and MICH helmets, making it a versatile solution for many operational needs.

The visor can be easily flipped up and down as needed, providing flexibility and increased user-friendliness.

The visor weighs only 1300 grams including holders, making it solid and protective without being too heavy.

### BALLISTIC TESTING

- The visor is tested to the NIJ IIIA standard for protection against .44 magnum and 9 mm, and provides fragmentation protection according to STANAG 2920 V50 = 725 m/s

### WHAT'S INCLUDED

Ballistic NIJ IIIA Visor

### AVAILABLE COLORS



Black

### AVAILABLE SIZES

One size (142 mm high and 19.5 mm thick)

### INSTALLABLE ON

PGD ARCH Ballistic Helmet  
PGD MICH Ballistic Helmet



# PGD ARCH/MICH HELMET COVER

## TEXTILE HELMET COVER FOR PGD ARCH/MICH HELMETS

### KEY FEATURES



SNUG FIT



EXTREMELY  
DURABLE



MADE IN  
EUROPE



IRR  
SAFE

### SPECIFICATIONS

The cover is designed with "cable management" as the priority.

Through the laser cut velcro and the paracord, you can customize the cable management according to your requirements.

The materials used: NYCO Rip-Stop Cordura, paracord without core and velcro. All materials used is IRR safe and made in the USA/EU.

It is important to note, that the cover is specifically designed for PGD ARCH/MICH helmets, and it is not designed for other helmet brands.



### WHAT'S INCLUDED

Helmet Cover

### AVAILABLE COLORS

-  Black
-  Ranger Green
-  Multicam Black
-  Multicam
-  M05

### AVAILABLE SIZES

Medium (52-55 cm)  
Large (56-59 cm)  
XL (60-64 cm)

### INSTALLABLE ON

PGD ARCH Ballistic Helmet  
PGD MICH Ballistic Helmet



# PGD 10-PAD HELMET LINER

## MEMORY FOAM PADS FOR PGD HELMETS

### KEY FEATURES



SNUG FIT



EXTREMELY  
DURABLE



SWEAT-  
TRANSPORTING  
MATERIAL

### SPECIFICATIONS

The PGD 10-pad helmet liner features 10 specially designed memory foam pads that adapt to the shape of your head within 2-3 seconds.

This innovative memory foam provides a secure, snug fit without creating a tight or uncomfortable sensation.

Upgrading to PGD 10-pad helmet liner offers a number of benefits:

- Memory foam for extra comfort
- Blunt force trauma reducing
- Made of sweat-transporting material
- Mounted very easily with velcro

### BALLISTIC TESTING

- Blunt Impact Protection: Ambient AR/PD 10-02 Rev. A (avg 65,93 G)



### WHAT'S INCLUDED

10 memory foam pads

### AVAILABLE COLORS



Black

### AVAILABLE SIZES

One size

### INSTALLABLE ON

PGD ARCH Ballistic Helmet

PGD MICH Ballistic Helmet

PGD MICH2000 Ballistic Helmet

PGD PASGT Ballistic Helmet



# PGD DIAL RETENTION SYSTEM

## PGD HELMET DIAL FIT 4-POINT RETENTION SYSTEM

### KEY FEATURES



SNUG FIT



MADE FOR  
EXTREME USE



AGILE AND FAST  
ADJUSTMENT



PGD FIT  
DIAL SYSTEM



MADE IN  
EUROPE



HIGH QUALITY  
MATERIALS



### SPECIFICATIONS

The PGD helmet's retention system is built using high-quality ITW Nexus and Duraflex buckles, along with premium European nylon webbing, maximizing durability and ensuring the straps hold the helmet securely and comfortably in place.

The PGD dial retention system features a precision dial to adjust the helmet for a custom, secure fit with ease.

This innovative system, widely trusted across industries for eliminating the need for traditional laces or buckles, enables quick, one-handed adjustments, ensuring optimal comfort and positioning for ballistic helmets.

All materials used are IRR safe.



### WHAT'S INCLUDED

Harness, buckles & dial fit

### AVAILABLE COLORS



Black



OD Green



Coyote Brown

### AVAILABLE SIZES

One size

### INSTALLABLE ON

PGD ARCH Ballistic Helmet

PGD MICH Ballistic Helmet

PGD MICH2000 Ballistic Helmet

PGD PASGT Ballistic Helmet



# PGD SOFT ARMOR

## COMPARISON CHART

|                          | <br>DELTA | <br>ULTRA 04 | <br>ULTRA 06 | <br>EXOSKELETON |
|--------------------------|--------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|
| Ballistic testing        | NIJ 0101.04 IIIA                                                                           | NIJ 0101.04 IIIA                                                                              | NIJ 0101.06 IIIA                                                                               | n/a                                                                                                |
| Stab protection          | NIJ 0115.00 level 1 S1 blade                                                               | HOSDB 2017 KR1+SP1                                                                            | HOSDB 2007 KR1+SP1                                                                             | NIJ standard 0115.00 level 3 (S1, P1 and Spike at 65 joules)                                       |
| V50 / STANAG 2920        | 592 m/s                                                                                    | 630 m/s                                                                                       | n/a                                                                                            | n/a                                                                                                |
| Features                 | 100% water/sweat resistant ultrasonic sealed TPU cover                                     | 100% water/sweat resistant ultrasonic sealed TPU cover                                        | 100% water/sweat resistant ultrasonic sealed TPU cover                                         | Exoskeleton system, which adapts to any body type                                                  |
| Ballistic material       | Aramid (Teijin)                                                                            | Honeywell / Avient                                                                            | Aramid (Teijin)                                                                                | Aerospace-grade aluminium                                                                          |
| Weight                   | 5.6 kg/m <sup>2</sup>                                                                      | 7.3 kg/m <sup>2</sup>                                                                         | 7.3 kg/m <sup>2</sup>                                                                          | 5.5 kg/m <sup>2</sup>                                                                              |
| Thickness                | 6.7 mm                                                                                     | 7 mm                                                                                          | 11 mm                                                                                          | 2 mm                                                                                               |
| CE certified             | (EU) 2016/425                                                                              | (EU) 2016/425                                                                                 | (EU) 2016/425                                                                                  | (EU) 2016/425                                                                                      |
| Material source location | EU                                                                                         | USA / EU                                                                                      | EU                                                                                             | EU                                                                                                 |

PGD soft armor solutions are engineered to meet the highest industry standards. We are highly specialized in the manufacturing of soft armor, and we use materials from e.g. US Honeywell; Spectra Shield and Gold Shield to ensure that all of our soft armor solutions are made with the best possible ballistic materials.

All of our solutions undergo thorough testing, according to both NIJ standard 0101.06 and NIJ standard 0101.04 at renowned laboratories such as AITEX in Spain and Element Defense in the United States.

At PGD, all soft armor is manufactured in our own ISO9001:2015 certified factory in Denmark. By controlling the entire production process, we guarantee the highest quality. This also allows us to provide premium products at a significantly more affordable price to our customers.



# PGD DELTA SOFT ARMOR

## NIJ IIIA SOFT ARMOR

### KEY FEATURES



**LOW WEIGHT +  
OUTSTANDING  
BALLISTICS**



**EXTREMELY  
DURABLE**



**THIN AND  
FLEXIBLE**



**TEMPERATURE  
RESISTANT**



**MADE IN  
EUROPE**



**LIQUID AND OIL  
RESISTANT**

### SPECIFICATIONS

With its extremely thin (6.7 mm) and flexible design, the PGD DELTA Soft Armor is the perfect choice for a concealable and comfortable wear.

The ballistics are made with high quality materials from Teijin and weigh 5.6 kg/m<sup>2</sup>.

Sealed in a waterproof and UV resistant TPU.

7-year ballistic warranty.



### BALLISTIC TESTING

- NIJ IIIA 0101.04
- NIJ 0115.00 S1G level 1
- V50 STANAG 2920: 592 m/s
- CE certified (EU) 2016/425



### AVAILABLE CUTS

Small: 227 x 303 mm / 8.75"x11.75" ESAPI cut  
Medium: 246 x 323 mm / 9.5"x12.5" ESAPI cut  
Large: 265 x 342 mm / 10.25"x13.75" ESAPI cut  
XL: 285 x 361 mm / 11"x14" ESAPI cut  
Standard: 250 x 300 mm / 10"x12" SAPI cut  
Custom cuts available in any size

### AVAILABLE CUTS

150 x 150 mm / 6"x6" square cut  
150 x 228 mm / 6"x9" square cut  
127 x 355 mm / 5"x14" square cut  
127 x 279 mm / 5"x11" square cut  
127 x 228 mm / 5"x9" square cut  
127 x 178 mm / 5"x7" square cut



# PGD ULTRA 04 SOFT ARMOR

NIJ IIIA 0101.04 + HOSDB 2017 KR1+SP1 SOFT ARMOR

## KEY FEATURES



**LOW WEIGHT +  
OUTSTANDING  
BALLISTICS**



**EXTREMELY  
DURABLE**



**THIN AND  
FLEXIBLE**



**TEMPERATURE  
RESISTANT**



**MADE IN  
EUROPE**



**LIQUID AND OIL  
RESISTANT**

## SPECIFICATIONS

3-in-1 bulletproof vest for multi threat operations.

With its thin (7 mm) and flexible design combined with excellent protective features, the ULTRA is the perfect choice for concealed wearing in operations with multiple threats.

Apart from being bulletproof soft armor, the ULTRA also offers protection against knives and spikes.

The ballistics are made with high quality materials from Honeywell and Avient Dyneema and weigh 7.3 kg/m<sup>2</sup>.

Sealed in a water proof and UV resistant TPU.

UNISEX - works as bullet- and stabproof vest for both men and women.

7-year ballistic warranty



## BALLISTIC TESTING

- NIJ IIIA 0101.04
- HOSDB 2017 KR1+SP1
- V50 STANAG 2920: 630 m/s
- CE certified (EU) 2016/425

## AVAILABLE CUTS

Custom cuts available in any size



# PGD ULTRA 06 SOFT ARMOR

NIJ IIIA 0101.06 + HOSDB 2007 KR1+SP1 SOFT ARMOR

## KEY FEATURES



**LOW WEIGHT +  
OUTSTANDING  
BALLISTICS**



**EXTREMELY  
DURABLE**



**THIN AND  
FLEXIBLE**



**TEMPERATURE  
RESISTANT**



**MADE IN  
EUROPE**



**LIQUID AND OIL  
RESISTANT**

## SPECIFICATIONS

3-in-1 bulletproof vest for multi threat operations.

With its extremely thin (11 mm) and flexible design, the PGD ULTRA 06 Soft Armor is the perfect choice for a concealable and comfortable wear.

Apart from being bulletproof, the PGD ULTRA 06 Soft Armor also offers protection against knives, spikes, and blunt force objects.

The ballistics are made with high quality aramid material from Teijin and sourced fully within the EU and weigh 7.3 kg/m<sup>2</sup>.

Sealed in a waterproof and UV resistant TPU.

7-year ballistic warranty.



## BALLISTIC TESTING

- NIJ IIIA 0101.06
- HOSDB 2007 KR1+SP1
- CE certified (EU) 2016/425

## AVAILABLE CUTS

Custom cuts available in any size



# PGD TEXTILE SOLUTIONS

## COMPARISON CHART

PGD textile solutions are engineered to meet the highest industry standards. We develop and manufacture advanced technical textiles used in tactical, and protective equipment. Our textile solutions are made with high-performance materials designed for durability, comfort, and functionality ensuring long-term reliability in even the harshest environments. Every PGD textile product is tested and validated to meet strict performance and quality standards, supporting our mission to deliver uncompromising protection and comfort for professionals in the field.

|                       |                                                   |  |         |  |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                       | FRAG                                                                                                                               | PROTECTOR                                                                         | DELTA/ULTRA                                                                               | EXOSKELETON                                                                         |
| Cut                   | Tactical                                                                                                                           | Tactical                                                                          | Concealable                                                                               | Concealable                                                                         |
| Fabric testing        | EN ISO 13688:2013+EN ISO 13688:2013/A1:2021                                                                                        | EN ISO 13688:2013+EN ISO 13688:2013/A1:2021                                       | EN ISO 13688:2013+EN ISO 13688:2013/A1:2021                                               | EN ISO 13688:2013+EN ISO 13688:2013/A1:2021                                         |
| Key attributes        | Laminate fabric is PU coated, DWR, IRR and water resistant, 2M Quick-Release Buckle, Outlast® PCM technology                       | Outlast® PCM technology                                                           | Outlast® PCM technology                                                                   | Spacer mesh                                                                         |
| Compatible soft armor | DELTA, ULTRA 04 & ULTRA 06                                                                                                         | DELTA, ULTRA 04 & ULTRA 06                                                        | DELTA, ULTRA 04 & ULTRA 06                                                                | EXOSKELETON                                                                         |
| Colors                | <ul style="list-style-type: none"> <li>Black</li> <li>Ranger Green</li> <li>Coyote Brown</li> <li>Multicam</li> <li>M05</li> </ul> | <ul style="list-style-type: none"> <li>Black</li> </ul>                           | <ul style="list-style-type: none"> <li>Black</li> <li>Navy Blue</li> <li>White</li> </ul> | <ul style="list-style-type: none"> <li>Black</li> </ul>                             |

### RECOMMENDATION FOR USE

Before using the vest you should adjust the cummerbund (velcro straps on the back of the vest according to your waist) and do the same for the shoulder straps which are adjusted with velcro.

To take the vest on/off and attach/detach cummerbund and take the vest on/off above the head.

For correct performance, the garment must be correctly adjusted with the cummerbunds closed and the shoulder straps closed at all times.

Users must be instructed to visually inspect their PPE before every use to ensure it retains protective qualities. Dispose of any damaged items.

The environmental conditions and risks associated with the operator's surroundings must be considered.

### WASHING INSTRUCTIONS



We recommend handwashing in 30 °C maximum 1x.

Do not bleach, tumble dry or dry-clean

Do not wash ballistic inserts

Avoid folding the vest

Line dry



# PGD FRAG

## TACTICAL BULLETPROOF VEST

### KEY FEATURES



**LOW WEIGHT +  
OUTSTANDING  
BALLISTICS**



**THIN AND  
FLEXIBLE**



**MADE IN  
EUROPE**



**EXTREMELY  
DURABLE**



**TEMPERATURE  
RESISTANT**



**LIQUID AND OIL  
RESISTANT**



### SPECIFICATIONS

Ultra durable tactical vest with high levels of adjustability.

Made in full 500 denier Cordura laminate, which is 35-40% lighter than traditional MOLLE.

This offers the best possible mobility to wear over a long period of time. Our laminate fabric is water-resistant, abrasion-resistant and has a high tear resistance for long term use.

The ballistics are made with high quality materials from Teijin and weigh 5.6kg/m<sup>2</sup>.

Features built in front and back pockets for carrying ESAPI hard armor.

7-year ballistic warranty and 2-year warranty on the textile carrier.

### BALLISTIC TESTING

- NIJ IIIA 0101.04
- NIJ 0115.00 S1 55 joules E2
- V50 STANAG 2920: 592 m/s
- EN ISO 13688:2013+EN ISO 13688:2013/A1:2021
- CE certified (EU) 2016/425



### WHAT'S INCLUDED

NIJ IIIA Soft Armor Panels  
FRAG Textile Carrier

### AVAILABLE COLORS

-  Black
-  Ranger Green
-  Coyote Brown
-  Multicam

### AVAILABLE SIZES

Small (70-80 cm) 2.39 kg  
Medium (80-90 cm) 2.69 kg  
Large (90-100 cm) 2.99 kg  
XL (100-110 cm) 3.28 kg  
2XL (110-120 cm) 3.65 kg  
3XL (120-130 cm) 3.93 kg

### AVAILABLE ACCESSORIES

Groin add-on  
Collar add-on  
Throat add-on  
Biceps add-on



# PGD FRAG ACCESSORIES

## ADD-ONS FOR TACTICAL BULLETPROOF VEST

### KEY FEATURES



LOW WEIGHT +  
OUTSTANDING  
BALLISTICS



THIN AND  
FLEXIBLE



MADE IN  
EUROPE



EXTREMELY  
DURABLE



TEMPERATURE  
RESISTANT



LIQUID AND OIL  
RESISTANT



### SPECIFICATIONS

Addon articles to upgrade our PGD FRAG Tactical Vest.

The ballistics are made with high quality materials from Teijin and weigh 5.6kg/m2.

7-year ballistic warranty and 2-year warranty on the textile carrier.

### BALLISTIC TESTING

- NIJ IIIA 0101.04
- NIJ 0115.00 S1 55 joules E2
- V50 STANAG 2920: 592 m/s
- EN ISO 13688:2013+EN ISO 13688:2013/A1:2021
- CE certified (EU) 2016/425

### WHAT'S INCLUDED

NIJ IIIA Soft Armor Panel  
Textile for part

### AVAILABLE COLORS

-  Black
-  Ranger Green
-  Coyote Brown
-  Multicam

### AVAILABLE SIZES

Groin add-on (one size)  
Biceps add-on (one size)  
Throat add-on (one size)  
Collar add-on (S/M, L/XL,  
2XL/3XL)

### INSTALLABLE ON

PGD FRAG Tactical  
Bulletproof Vest



# PGD FRAG FULL TACTICAL

## TACTICAL BULLETPROOF VEST

### KEY FEATURES



**LOW WEIGHT +  
OUTSTANDING  
BALLISTICS**



**THIN AND  
FLEXIBLE**



**MADE IN  
EUROPE**



**EXTREMELY  
DURABLE**



**TEMPERATURE  
RESISTANT**



**LIQUID AND OIL  
RESISTANT**



### SPECIFICATIONS

Fully upgraded ultra durable tactical vest with high levels of adjustability.

Made in full 500 denier Cordura laminate, which is 35-40% lighter than traditional MOLLE.

This offers the best possible mobility to wear over a long period of time. Our laminate fabric is water-resistant, abrasion-resistant and has a high tear resistance for long term use.

The ballistics are made with high quality materials from Teijin and weigh 5.6kg/m2.

Features built in front and back pockets for carrying ESAPI hard armor.

7-year ballistic warranty and 2-year warranty on the textile carrier.

### BALLISTIC TESTING

- NIJ IIIA 0101.04
- NIJ 0115.00 S1 55 joules E2
- V50 STANAG 2920: 592 m/s
- EN ISO 13688:2013+EN ISO 13688:2013/A1:2021
- CE certified (EU) 2016/425



### WHAT'S INCLUDED

NIJ IIIA Soft Armor Panels  
FRAG Textile Carrier  
Groin add-on  
Collar add-on  
Throat add-on  
Biceps add-on

### AVAILABLE COLORS

-  Black
-  Ranger Green
-  Coyote Brown
-  Multicam

### AVAILABLE SIZES

Small (70-80 cm) 4.60 kg  
Medium (80-90 cm) 5.20 kg  
Large (90-100 cm) 5.20 kg  
XL (100-110 cm) 5.49 kg  
2XL (110-120 cm) 5.86 kg  
3XL (120-130 cm) 6.14 kg

### POSSIBLE OPT OUTS

Groin add-on  
Collar add-on  
Throat add-on  
Biceps add-on



# PGD PROTECTOR

## CONCEALABLE OVERT BULLETPROOF VEST

### KEY FEATURES



**LOW WEIGHT +  
OUTSTANDING  
BALLISTICS**



**THIN AND  
FLEXIBLE**



**MADE IN  
EUROPE**



**EXTREMELY  
DURABLE**



**TEMPERATURE  
RESISTANT**



**LIQUID AND OIL  
RESISTANT**

### SPECIFICATIONS

With its extremely thin (6.7 mm) and flexible design, the PGD Protector is the perfect choice for a comfortable vest suitable for both concealable and overt use.

The carrier system is made with durable Cordura 500D material and laser cut laminates with molle on the shoulders and front. The installed placard is removable.

The ballistics are made with high quality materials from Teijin and weigh 5.6kg/m<sup>2</sup>.

Features built in front and back pockets for carrying ESAPI hard armor.

7-year ballistic warranty and 2-year warranty on the textile carrier.

### BALLISTIC TESTING

- NIJ IIIA 0101.04
- NIJ 0115.00 S1 55 joules E2
- V50 STANAG 2920: 592 m/s
- EN ISO 13688:2013+EN ISO 13688:2013/A1:2021
- CE certified (EU) 2016/425

### WHAT'S INCLUDED

NIJ IIIA Soft Armor Panels  
Cordura 500D Textile Carrier

### AVAILABLE COLORS



Black

### AVAILABLE SIZES

Small (70-80 cm) 1.97 kg  
Medium (80-90 cm) 2.24 kg  
Large (90-100 cm) 2.50 kg  
XL (100-110 cm) 2.78 kg  
2XL (110-120 cm) 3.11 kg  
3XL (120-130 cm) 3.38 kg

### AVAILABLE ACCESSORIES

Carry/storage bag



# PGD DELTA

## CONCEALABLE BULLETPROOF VEST

### KEY FEATURES



LOW WEIGHT +  
OUTSTANDING  
BALLISTICS



EXTREMELY  
DURABLE



THIN AND  
FLEXIBLE



TEMPERATURE  
RESISTANT



MADE IN  
EUROPE



LIQUID AND OIL  
RESISTANT



### SPECIFICATIONS

With its extremely thin (6.7 mm) and flexible design, the PGD DELTA is the perfect choice for a concealable and comfortable vest.

The carrier system is lined with Outlast® PCM-technology, ensuring maximum comfort and enabling wearing for up to 14 hours a day!

The ballistics are made with high quality materials from Teijin and weigh 5.6 kg/m<sup>2</sup>.

Features built in front and back pockets for carrying ESAPI hard armor.

7-year ballistic warranty and 2-year warranty on the textile carrier.

### BALLISTIC TESTING

- NIJ IIIA 0101.04
- NIJ 0115.00 S1G level 1
- V50 STANAG 2920: 592 m/s
- EN ISO 13688:2013+EN ISO 13688:2013/A1:2021
- CE certified (EU) 2016/425

### WHAT'S INCLUDED

NIJ IIIA Soft Armor Panels  
Outlast® Textile Carrier

### AVAILABLE COLORS

-  Black
-  Navy Blue
-  White

### AVAILABLE SIZES

Small (60-70 cm) 1.77 kg  
Medium (70-80 cm) 2.00 kg  
Large (80-90 cm) 2.23 kg  
XL (90-100 cm) 2.50 kg  
2XL (100-110 cm) 2.77 kg  
3XL (110-120 cm) 3.05 kg  
4XL (120-130 cm) 3.34 kg  
5XL (130-140 cm) 3.61 kg

### AVAILABLE ACCESSORIES

Carry/storage bag



# PGD ULTRA

## 3-IN-1 BULLETPROOF VEST FOR MULTI THREAT OPERATIONS

### KEY FEATURES



LOW WEIGHT +  
OUTSTANDING  
BALLISTICS



EXTREMELY  
DURABLE



THIN AND  
FLEXIBLE



TEMPERATURE  
RESISTANT



MADE IN  
EUROPE



LIQUID AND OIL  
RESISTANT



### SPECIFICATIONS

With its thin (7 mm) and flexible design combined with excellent protective features, the PGD ULTRA is the perfect choice for concealed wearing in operations with multiple threats.

Apart from being a bulletproof vest, the PGD ULTRA also offers protection against knives and spikes. The ballistics are made with high quality materials from Honeywell and Avient Dyneema and weigh 7.3 kg/m<sup>2</sup>.

The carrier system is lined with Outlast® PCM-technology, ensuring maximum comfort and enabling wearing for up to 14 hours a day!

Features built in front and back pockets for carrying ESAPI hard armor.

7-year ballistic warranty and 2-year warranty on the textile carrier.

### BALLISTIC TESTING

- NIJ IIIA 0101.04
- HOSDB 2017 KR1+SP1
- V50 STANAG 2920: 592 m/s
- EN ISO 13688:2013+EN ISO 13688:2013/A1:2021
- CE certified (EU) 2016/425

### WHAT'S INCLUDED

3-in-1 Soft Armor Panels  
Outlast® Textile Carrier

### AVAILABLE COLORS

-  Black
-  Navy Blue
-  White

### AVAILABLE SIZES

Small (60-70 cm) 2.12 kg  
Medium (70-80 cm) 2.38 kg  
Large (80-90 cm) 2.64 kg  
XL (90-100 cm) 2.97 kg  
2XL (100-110 cm) 3.28 kg  
3XL (110-120 cm) 3.56 kg  
4XL (120-130 cm) 3.94 kg  
5XL (130-140 cm) 4.27 kg

### AVAILABLE ACCESSORIES

Carry/storage bag



# PGD EXOSKELETON

## CONCEALABLE STAB PROOF VEST

### KEY FEATURES



**LOW WEIGHT +  
OUTSTANDING  
PROTECTION**



**THIN AND  
COMFORTABLE**



**MADE IN  
EUROPE**



**EXTREMELY  
DURABLE**



**TEMPERATURE  
RESISTANT**



**LIQUID AND OIL  
RESISTANT**



### SPECIFICATIONS

This 2-in-1 stab proof vest protects from striking edged/pointed instruments and blunt objects like baseball bats and police batons, as well as kicks and punches.

It is NIJ 0115.00 level 3 stab proof-/spike proof vest that has been tested for NIJ standard 0115.00 level 3 - 65 joules against both knife and spike (similar to the HOSDB standard KR3 + SP3).

You get a stab proof vest that is up to 50% lighter than similar vests on the market. At the same time, this stab proof vest is the same weight as most NIJ level 1/KR1 stab vests and offering up to 80% more resistance against knife and spike attacks.

It is 2 mm / 0.08in thin and offers indefinite lifespan compared to kevlar's 5-years.

### BALLISTIC TESTING

- NIJ standard 0115.00 level 3 (S1, P1 and Spike at 65 joules)
- EN ISO 13688:2013+EN ISO 13688:2013/A1:2021
- CE certified (EU) 2016/425



### WHAT'S INCLUDED

NIJ 0115.00 level 3 Aerospace-grade Aluminium Panels

Spacer mesh concealable textile carrier

### AVAILABLE COLORS



Black

### AVAILABLE SIZES

Small (67-76 cm) 1.75 kg  
Medium (77-86 cm) 2.26 kg  
Large (87-96 cm) 2.44 kg  
XL (97-106 cm) 2.66 kg  
2XL (107-116 cm) 2.95 kg  
3XL (117-127 cm) 3.19 kg

### AVAILABLE ACCESSORIES

Carry/storage bag



# PGD BALLISTIC PLATES

## COMPARISON CHART

Our comparison chart offers a clear overview of 7 ballistic plates, including our B-line, U-line, LW-line, and S-LW-line. It highlights key specs such as weight, thickness, protection level, and materials, making it easy to compare performance across lines. Whether you're looking for maximum protection, ultra-lightweight design, or the best balance between the two, this two page chart helps you find the right plate for your mission.

### KEY FEATURES



**OUTSTANDING  
BALLISTICS**



**THIN**



**MADE IN  
EUROPE**



**EXTREMELY  
DURABLE**



**TEMPERATURE  
RESISTANT**

PGD ballistic plates are engineered to meet the highest industry standards. All of our hard armor plates are made with full edge to edge protection, meaning you have full coverage to the edge. NIJ protection levels 3 and 4 are standards for our hard armor plates. We care deeply about your safety, so all our hard armor plates are tested to NIJ standard 0101.04 and 0101.06 at AITEX in Spain and Element Defense in the USA.

\*Plate weight tolerance: +/- 0,1 kg.

\*\*Plate thickness tolerance: +/- 1,5mm

|                         | <br><b>LW SA<br/>NIJ III</b> | <br><b>S LW ICW<br/>NIJ III</b> |
|-------------------------|-----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| NIJ testing standard    | 0101.04 (certified)<br>0101.06 (tested)                                                                         | 0101.06 (tested)                                                                                                   |
| Protection level        | NIJ level 3 (III+)                                                                                              | NIJ level 3 (III+)                                                                                                 |
| Threats                 | 7.62x51 NATO,<br>M80 6 shots<br>7.62x39 MSC,<br>AK47 6 shots<br>5.56x45,<br>M193 6 shots                        | 7.62x51 NATO,<br>M80 6 shots<br>7.62x39 MSC,<br>AK47 6 shots<br>5.56x45,<br>M193 6 shots                           |
| Materials               | UHMWPE                                                                                                          | UHMWPE                                                                                                             |
| Weight*                 | 1,54 kg                                                                                                         | 0,88 kg                                                                                                            |
| Plate thickness**       | 28 mm                                                                                                           | 13 mm                                                                                                              |
| Type                    | SAPI cut<br>Stand alone                                                                                         | SAPI cut<br>ICW                                                                                                    |
| Curvature               | Multicurved                                                                                                     | Multicurved                                                                                                        |
| Edge-to-edge protection | ✓                                                                                                               | ✓                                                                                                                  |
| Side plate available    | 15 x 15 cm<br>15 x 20 cm                                                                                        | Special production                                                                                                 |
| CE certified            | (EU) 2016/425                                                                                                   | n/a                                                                                                                |
| Cover                   | Fabric cover                                                                                                    | Fabric cover                                                                                                       |

**LEARN MORE AT**  
[protectiongroupdenmark.com](https://protectiongroupdenmark.com)



# PGD BALLISTIC PLATES

## COMPARISON CHART

|                         | <br><b>U-LINE<br/>NIJ IV ICW</b>                          | <br><b>U-LINE<br/>NIJ III</b> | <br><b>U-LINE<br/>NIJ IV</b>                           | <br><b>B-LINE<br/>NIJ III</b>     | <br><b>B-LINE<br/>NIJ IV</b> |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| NIJ testing standard    | 0101.04 (certified)                                                                                                                        | 0101.04 (certified)<br>0101.06 (tested)                                                                        | 0101.04 (certified)<br>0101.06 (tested)                                                                                                 | 0101.04 (certified)<br>0101.06 (tested)                                                                              | 0101.04 (certified)<br>0101.06 (tested)                                                                         |
| Protection level        | NIJ level 4 (IV) ICW                                                                                                                       | NIJ level 3 (III++)                                                                                            | NIJ level 4 (IV)                                                                                                                        | NIJ level 3 (III++)                                                                                                  | NIJ level 4 (IV)                                                                                                |
| Threats                 | 30 Cal. 166 gr.<br>APM2 1 shot<br>7.62x54R 150 gr.<br>B32 2 shots<br>5.45x39 7N10 4 shots<br>7.62x39 API BZ 4 shots<br>7.62x54 LPS 4 shots | 7.62x51 NATO<br>M80 6 shots<br>7.62x39 MSC/<br>AK47 6 shots<br>5.56x45 SS109/<br>M855 6 shots                  | 7.62x63 30 cal.<br>M2 AP 1 shot<br>7.62x54R 150 gr.<br>B32 1 shot<br>7.62x51 NATO M80<br>7.62x39 MSC AK47<br>5.56x45 NATO<br>SS109/M855 | 7.62x51 NATO<br>M80 6 shots<br>7.62x39 MSC/<br>AK47 6 shots<br>5.56x45 SS109<br>6 shots<br>7.62x39 API-BZ<br>3 shots | 7.62x63 30 cal.<br>M2 AP 1 shot<br>7.62x51,<br>NATO M80<br>7.62x39,<br>MSC AK47<br>5.56x45 NATO,<br>SS109/M855  |
| Materials               | Ceramic composite                                                                                                                          | Ceramic composite                                                                                              | Ceramic composite                                                                                                                       | Ceramic composite                                                                                                    | Ceramic composite                                                                                               |
| Weight*                 | ESAPI<br>10"x12" 2.65 kg                                                                                                                   | SHOOTERS<br>10"x12" 2.25 kg                                                                                    | ESAPI<br>10"x12" 3.05 kg                                                                                                                | SAPI<br>10"x12" 2.50 kg                                                                                              | SAPI<br>10"x12" 3.40 kg                                                                                         |
| Plate thickness**       | 25 mm                                                                                                                                      | 27 mm                                                                                                          | 26 mm                                                                                                                                   | 30 mm                                                                                                                | 22 mm                                                                                                           |
| Type                    | ESAPI cut<br>ICW                                                                                                                           | SHOOTERS & ESAPI<br>Stand alone                                                                                | ESAPI cut<br>Stand alone                                                                                                                | SAPI cut<br>Stand alone                                                                                              | SAPI cut<br>Stand alone                                                                                         |
| Curvature               | Multicurved                                                                                                                                | Multicurved                                                                                                    | Multicurved                                                                                                                             | Single curved                                                                                                        | Single curved                                                                                                   |
| Edge-to-edge protection | ✓                                                                                                                                          | ✓                                                                                                              | ✓                                                                                                                                       | ✓                                                                                                                    | ✓                                                                                                               |
| Side plate available    | Special production                                                                                                                         | Special production                                                                                             | 15 x 15cm<br>15 x 20cm                                                                                                                  | Special production                                                                                                   | Special production                                                                                              |
| CE certified            | —                                                                                                                                          | (EU) 2016/425                                                                                                  | (EU) 2016/425                                                                                                                           | (EU) 2016/425                                                                                                        | (EU) 2016/425                                                                                                   |
| Cover                   | Fabric cover                                                                                                                               | Fabric cover                                                                                                   | Fabric cover                                                                                                                            | Fabric cover                                                                                                         | Fabric cover                                                                                                    |



# PGD LW SA III

## STANDALONE LIGHTWEIGHT HARD ARMOR NIJ III

### KEY FEATURES



LOW WEIGHT+  
OUTSTANDING  
BALLISTICS



EXTREMELY  
DURABLE



THIN



TEMPERATURE  
RESISTANT



MADE IN  
EUROPE



LIQUID AND OIL  
RESISTANT

### SPECIFICATIONS

Our PGD LW line are low weight standalone plates and are available as a multi-curved front plate as well as two sizes of single-curved side plates.

The plates are 100% HPPE (High performance Polyethylene). This ensures high protection capabilities against multiple hits.

The plate is very drop resistant and it's covered with a liquid-repellent Cordura cover, which protects the ballistic properties against water, oil and similar liquids.

The plate has a thickness of 28 mm.

7-year ballistic warranty.



### BALLISTIC TESTING

- NIJ 0101.04 (certified)
- NIJ 0101.06 (tested)
- CE certified (EU) 2016/425



### WHAT'S INCLUDED

Sold as single pieces - not pairs

### THREATS

7.62x51 NATO, M80 6 shots  
7.62x39 MSC, AK47 6 shots  
5.56x45, M193 6 shots

### AVAILABLE SIZES

SAPI 10"x12" (30x25 cm) 1.54 kg  
6"x8" (15x20 cm) 0.61 kg  
6"x6" (15x15 cm) 0.47 kg  
Plate weight tolerance: +/- 0.1 kg.

### AVAILABLE ACCESSORIES

PGD Textile Solutions



# PGD S LW ICW III

## SUPER LIGHTWEIGHT ICW HARD ARMOR NIJ III

### KEY FEATURES



**SUPER LOW WEIGHT**



**EXTREMELY DURABLE**



**EXTREMELY THIN**



**TEMPERATURE RESISTANT**



**MADE IN EUROPE**



**LIQUID AND OIL RESISTANT**

### SPECIFICATIONS

Our PGD S LW line offers premium, ultra-low-weight multi-curved plates designed for use in conjunction with NIJ IIIA soft armor

The plate is made with high-end polyethylene and is manufactured under extreme pressure.

The plate is very drop resistant and it's covered with a liquid-repellent Cordura cover, which protects the ballistic properties against water, oil and similar liquids.

At only 13 mm thick, it provides superior protection in an incredibly slim profile.

7-year ballistic warranty.

### BALLISTIC TESTING

- NIJ 0101.06 (tested)



### WHAT'S INCLUDED

Sold as single pieces - not pairs

### THREATS

7.62x51 NATO, M80 6 shots  
7.62x39 MSC, AK47 6 shots  
5.56x45, M193 6 shots

### AVAILABLE SIZES

SAPI 10"x12" (30x25 cm) 0.88 kg  
Plate weight tolerance: +/- 0.1 kg.

### AVAILABLE ACCESSORIES

PGD Textile Solutions  
PGD DELTA NIJ IIIA soft armor



# PGD U-LINE IV ICW

IN CONJUNCTION WITH - HARD ARMOR NIJ IV

## KEY FEATURES



**OUTSTANDING  
BALLISTICS**



**EXTREMELY  
DURABLE**



**THIN**



**TEMPERATURE  
RESISTANT**



**MADE IN  
EUROPE**



**LIQUID AND OIL  
RESISTANT**

## SPECIFICATIONS

Our PGD U-Line IV ICW is a premium plate and it is available as a multi-curved front/back plate.

The plate is made of monolithic Silicon Ceramic from Saint Gobain and aramid backing. This enables a good protection-to-weight ratio and edge-to-edge ceramics.

The plate is covered with a liquid-repellent Cordura cover, which protects the ballistic properties against water, oil and similar liquids.

The plates have a thickness of just 25 mm.

7-year ballistic warranty.

## BALLISTIC TESTING

- NIJ 0101.04 (certified)



## WHAT'S INCLUDED

Sold as single pieces - not pairs

## THREATS

30 Cal. 166 gr. APM2 1 shot  
7.62x54R 150 gr. B32 2 shot  
NIJ III++ SS109 6 shots  
NIJ III++ M80 6 shots  
NIJ III++ AK47 MSC 6 shots  
5,45x39 7N10 4 shots  
7.62x39 API BZ 4 shots  
7.62x54 LPS 4 shots

## AVAILABLE SIZES

SAPI Small 2.3 kg  
SAPI Medium 2.65 kg  
SAPI Large 3.1 kg  
SAPI XL 3.5 kg  
Plate weight tolerance: +/- 0.1 kg.

## AVAILABLE ACCESSORIES

PGD Textile Solutions  
PGD DELTA NIJ IIIA soft armor



# PGD U-LINE III

## STANDALONE HARD ARMOR NIJ III

### KEY FEATURES



**OUTSTANDING  
BALLISTICS**



**EXTREMELY  
DURABLE**



**THIN AND  
LIGHT**



**TEMPERATURE  
RESISTANT**



**MADE IN  
EUROPE**



**LIQUID AND OIL  
RESISTANT**

### SPECIFICATIONS

Our PGD U-Line III is a premium standalone multi-curve plate.

The plate is made of Silicon Ceramic from Saint Gobain and aramid backing. This enables a good protection-to-weight ratio and edge-to-edge ceramics.

The plate is covered in a very thin drop resistant foam and a liquid-repellent Cordura cover, which protects the ballistic properties against water, oil and similar liquids.

The plate has a thickness of just 27 mm.

7-year ballistic warranty.

### BALLISTIC TESTING

- NIJ 0101.04 (certified)
- NIJ 0101.06 (tested)
- CE certified (EU) 2016/425

### WHAT'S INCLUDED

Sold as single pieces - not pairs

### THREATS

7.62x51 NATO, M80 6 shots  
7.62x39 MSC (AK47) 6 shots  
5.56x45 SS109 / M855 and  
.223 rem. 6 shots

### AVAILABLE SIZES

ESAPI S 225x303 mm 2.15 kg  
ESAPI M 246x323 mm 2.23 kg  
ESAPI L 265x342 mm 2.58 kg  
ESAPI XL 285x361 mm 3.02 kg  
Shooter's cut 10"x12" (30x25 cm) 2.32 kg  
Plate weight tolerance: +/- 0.1 kg.

### AVAILABLE ACCESSORIES

PGD Textile Solutions



# PGD U-LINE IV

## STANDALONE HARD ARMOR NIJ IV

### KEY FEATURES



**OUTSTANDING  
BALLISTICS**



**EXTREMELY  
DURABLE**



**THIN**



**TEMPERATURE  
RESISTANT**



**MADE IN  
EUROPE**



**LIQUID AND OIL  
RESISTANT**

### SPECIFICATIONS

Our PGD U-Line IV is a premium standalone plate and it's available as a multi-curved front/back plate as well as two sizes of single-curved side plates.

The plate is made of monolithic Silicon Ceramic from Saint Gobain and aramid backing. This enables a good protection-to-weight ratio and edge-to-edge ceramics.

The plate is covered with a liquid-repellent Cordura cover, which protects the ballistic properties against water, oil and similar liquids.

The plates have a thickness of just 26 mm.

7-year ballistic warranty.

### BALLISTIC TESTING

- NIJ 0101.04 (certified)
- NIJ 0101.06 (tested)
- CE certified (EU) 2016/425

### WHAT'S INCLUDED

Sold as single pieces - not pairs

### THREATS

30 Cal. 166 gr. APM2 1 shot  
7.62x54R 150 gr. B32 1 shot

### AVAILABLE SIZES

ESAPI 10"x12" (30x25 cm) 3.09 kg  
ESAPI S 227x303 mm 2.68 kg  
ESAPI M 246x323 mm 3.10 kg  
ESAPI L 265x342 mm 3.53 kg  
ESAPI XL 285x361 mm 3.83 kg  
6"x8" (15x20 cm) 1.34 kg  
6"x6" (15x15 cm) 1.0 kg  
Plate weight tolerance: +/- 0.1 kg.

### AVAILABLE ACCESSORIES

PGD Textile Solutions

**LEARN MORE AT**  
[protectiongroupdenmark.com](http://protectiongroupdenmark.com)



# PGD BERSERKER III

## STANDALONE HARD ARMOR NIJ III

### KEY FEATURES



**OUTSTANDING  
BALLISTICS**



**EXTREMELY  
DURABLE**



**VALUE FOR  
MONEY**



**TEMPERATURE  
RESISTANT**



**MADE IN  
EUROPE**



**LIQUID AND OIL  
RESISTANT**

### SPECIFICATIONS

Our PGD BERSERKER III is a economical high value for money standalone single-curved plate.

It is a multi-hit rated AL203 Ceramic plate with polyethylene backing. This allows for the very high protection levels at an affordable price.

The plate is covered in a very thin drop resistant foam and a liquid-repellent Cordura cover, which protects the ballistic properties against water, oil and similar liquids.

The plate has a thickness of 30 mm.

7-year ballistic warranty.

### BALLISTIC TESTING

- NIJ 0101.04 (certified)
- NIJ 0101.06 (tested)
- CE certified (EU) 2016/425

### WHAT'S INCLUDED

Sold as single pieces - not pairs

### THREATS

7.62x51 NATO, M80 6 shots  
7.62x39 MSC, AK47 6 shots  
5.56x45 SS109 6 shots  
7.62x39 API-BZ 3 shots

### AVAILABLE SIZES

ESAPI 10"x12" (30x25 cm) 2.5 kg

### AVAILABLE ACCESSORIES

PGD Textile Solutions



# PGD BERSERKER IV

## STANDALONE HARD ARMOR NIJ IV

### KEY FEATURES



**OUTSTANDING  
BALLISTICS**



**EXTREMELY  
DURABLE**



**VALUE FOR  
MONEY**



**TEMPERATURE  
RESISTANT**



**MADE IN  
EUROPE**



**LIQUID AND OIL  
RESISTANT**

### SPECIFICATIONS

Our PGD BERSERKER IV is a economical high value for money standalone single-curved plate.

It is a multi-hit rated AL203 Ceramic plate with polyethylene backing. This allows for the very high protection levels at an affordable price.

The plate is covered in a very thin drop resistant foam and a liquid-repellent Cordura cover, which protects the ballistic properties against water, oil and similar liquids.

The plate has a thickness of 22 mm.

7-year ballistic warranty.

### BALLISTIC TESTING

- NIJ 0101.04 (certified)
- NIJ 0101.06 (tested)
- CE certified (EU) 2016/425

### WHAT'S INCLUDED

Sold as single pieces - not pairs

### THREATS

7.62x63 M2 AP 1 shot  
7.62x51 NATO M80  
7.62x39 MSC AK47  
5.56x45 NATO SS109/M855

### AVAILABLE SIZES

ESAPI 10"x12" (30x25 cm) 3.4 kg

### AVAILABLE ACCESSORIES

PGD Textile Solutions





# PROTECTION GROUP DENMARK

## CONTACT US

[www.protectiongroupdenmark.com](http://www.protectiongroupdenmark.com)  
[www.protectiongroupdenmark.us](http://www.protectiongroupdenmark.us)

Protection Group Denmark  
Messingvej 13, DK-8940